



SINCE 1946



**VENERE E GIUNONE
SELF LOADING GRAZER WAGON**

NEW

SELF LOADING GRAZER WAGON

VENERE E
GIUNONE



Designed and built for intensive use on flat ground conditions. This range of machines provides farmers with the guarantee of long term usage and reduced maintenance.



SELF LOADING GRAZER WAGON



REINFORCED FRAME



DOUBLE DRAWBAR
 REINFORCED FRAME



SAFETY GUARD



2,15 DRUM MOWER



FIBREGLASS BODY WITH WINDOWS TO
 ACCESS THE GRASS ELEVATOR



ELECTRONIC BOARD WITH SPEED CONTROL
 SYSTEM FOR THE UNLOADING CONVEYOR
 BELT AND EMERGENCY STOP BUTTON



SELF LOADING ELEVATOR WIDTH:
 1400 – 8/9/10 WITH EASED DISCHARGING
 BLADE SYSTEM



AUTOMATIC LUBRICATION



REINFORCED FRAME



HYDRAULIC FEET BRACKET
 AND REAR LADDER ROLLER



3

3 good reasons for choosing Bonino:


- ✓ Quality
- ✓ Durability
- ✓ Technical support



SELF LOADING GRAZER WAGON FOR
FLAT GROUND



STAINLESS STEEL SIDERAILS
STAINLESS STEEL OIL TANK, BED FLOOR AND
SUMP ON



FULL LOAD DETECTION SYSTEM



SHAPED SQUARE ROLLS



CONVEYOR BELT WIDTH: 750 mm



HYDRAULIC GEAR BOXEX
AND MOTORS



AUTOMATIC RELEASE
EMERGENCY BUTTON



BACK HYDRAULIC UNLOADING DOOR AND
UNLOADING RETRACTABLE BELT



RETRACTABLE SIDE CONVEYOR BELT



CONVEYOR BELT WITH CONTROL
TENSION DEVICE

	VENERE 500	VENERE 600	VENERE 700	VENERE 750	GIUNONE 800	GIUNONE 900
Total length (m)	8.15	8.65	9.15	9.65	9.65	10.35
Body length (m)	4.00	4.50	5.00	5.50	5.50	6.00
Max height (m)	2.90	2.90	2.90	3.07	3.38	3.38
Min height (m)	2.30	2.30	2.30	2.47	2.80	2.80
Max width (m)	2.25	2.25	2.25	2.25	2.55	2.55
Loading Capacity (m3)	20	24	28	35	44	46
Volume Din 11741	14	16	18	22	28	30
Cutting Width (m)	2.15	2.15	2.15	2.15	2.15	2.15
Tyres	19.0/45x17 PR10 IMPLEMENT	19.0/45x17 PR10 IMPLEMENT	19.0/45x17 PR10 IMPLEMENT	19.0/45x17 PR10 IMPLEMENT	500/50x17 PR14 IM72	500/50x17 PR14 IM72
Axels	N°02_1600+1450	N°02_1600+1450	N°02_1600+1450	N°02_1600+1450	N°02_1600+1450	N°02_1600+1450
N° of Blades	8 -9	8 -9	8 -9	9 -9	10 -9	10 -9
Weight (Kg)	4250	4400	4500	5200	5700	5900
Required power (HP)	80/90 4 WD	80/90 4 WD	80/90 4 WD	80/100 4 WD	100/110 4 WD	110/120 4 WD



BONINO di Bonino C.&C. s.a.s.

Via Torino, 173 - S.S. 661 Km9 - 12048 Sommariva Bosco (CN) Italy
Tel. + 39 0172 54 132 - Fax + 39 0172 56 09 42

www.boninoitaly.com - info@boninoitaly.com

Cod.fisc/ P.IVA n° 01653320042